C I S B U L L E T I N

MONTHLY BULLETIN

ATTENTION: ALL FACILITIES

UPDATES OCCURRING WITHIN THE CIS THE

WEEK OF - OCTOBER 7TH, 2024

The following solution areas have updates:

PowerChart, FirstNet & SurgiNet Update - Page 2

Provincial Drugs & Therapeutics (PD&T) - Page 3

Foundations Update - Page 4

Password Do's and Don'ts!

Choosing unique passwords and keeping them secure is an important safeguard in protecting personal health information. Here are some do's and don'ts to help ensure your passwords are effective and safe:

- **DO** use a combination of uppercase letters, lowercase letters, numbers, and symbols when choosing your passwords

- **DO** ensure your passwords are at least 8 characters long (the more characters, the harder it is to guess!)

- **DO** change your password regularly to keep security high

- **DON'T** share your passwords

- **DON'T** save your passwords to your devices

- **DON'T** record your password in a place that may be accessible to others

- **DON'T** use the same password for multiple accounts

Health PEI
CLINICAL INFORMATION SYSTEMS

PowerChart, FirstNet & SurgiNet Update:

"ECG if" order will be replaced with "Place order for ECG if" Post to Communications Section on Handoff.

Provincial Drugs & Therapeutics (PD&T) Update:

QT Prolongation Alert - When a staff member opens a patient's chart, the following alert will fire once per user within a 24 hour period IF:

The patient has a "**Problem**" (NOT Diagnosis) documented of either "**Prolonged QT interval**" or "**Prolonged Q-T interval syndrome**"

(Note: The Problem CANNOT be entered as freetext)

The Reference Link is the following website: https://crediblemeds.org/

See also the training document of Problems vs Diagnosis on the Staff Resource Centre Website.

Health PEI
CLINICAL INFORMATION SYSTEMS

NEW Labels for Women's Health Project

*Effective Thursday, September 26th – both individual and sheet labels were updated as follows:

OLD label:


```
FIN/ENC: 0008569297 #VI
LOC: Venipuncture QEH
ZZTEST, VIOLENTTEST
DOB: 1992/DEC/29  M
MRN: 30829345
```

NEW label: The new 3D barcode is for Fetalink. Existing barcode will still work for POC testing.


```
FIN:0008569297
Venipuncture QEH
ZZTEST, VIOLENTTEST
DOB:1992/DEC/29  M
MRN:30829345    VI#
```