



## Depart Process Diagnosis




To specify a depart diagnosis,


1. Click the 'pencil icon to the right of Diagnosis to open the Discharge Dialogue Box.
2. Click 'Add' or right click in white diagnosis field to begin search for diagnosis.



- 3 In the next window, begin your search for diagnosis by typing the first few letters of the diagnosis in the yellow search field then click on the 'binoculars' or access one of the folders at the bottom portion of the window.



- 4 Be sure that the terminology is PNED. This can be changed using the elipsis button next to Subset.




- a. Highlight the appropriate Discharge Diagnosis and click “OK”. Diagnosis will populate into the Discharge dialog window.

Clinical Dx	Date	Dx Type	Code
GI bleeding	2018-Jul-06	Reason For Visit	4908BE28-CAEC-48F7-96...
Nausea	2018-Jul-06	Reason For Visit	AH19DQD9cNvfGolOn4w...
URI - Upper respiratory in...	2018-Jul-11	Discharge	0367C669-0EFD-43E7-814...

Discharge diagnosis populates

- b. If you want to add multiple diagnoses, click “OK & Add New”. Once finished choosing the appropriate Diagnosis click “OK”.



5. The Discharge Diagnosis(es) code will show in the Depart Process window.

**Violent/Aggressive:**

Templates: Clinical Summary - QEH\_ED

✓  Diagnosis

0367C669-0EFD-43E7-8141-E671B1

Prescriptions: 0367C669-0EFD-43E7-8141-E671BD1F8B0E URI - Upper respiratory infection

Follow-up

✓  Request Discharge

Background field turns blue .  
Checkmark appears to indictes completions

Hospital  
Emergency Department  
Depart Summary

PATIENT INFORMATION