
Health PEI

Macros

Are saved terms, sentences and/or paragraphs that can be inserted automatically into a note



Health Creating a Macro

A Macro should be created when certain terms, sentences, and/or paragraphs of a note are competed routinely in the same manner. It is recommended that you create Macros for the top 10 complaints.

ONE ISLAND FUTURE

ONE ISLAND HEALTH SYSTEM

Macros represent Physician Methodology

Each Physician should create Macros that represent his/her own pattern of providing clinical care and documentation methodology

Health PEI Build a Macro?


They are used to save time by inserting "standard" data or answers that are recurrently used.



ONE ISLAND FUTURE

ONE ISLAND HEALTH SYSTEM


Macros are Inserted into PNED Documentation



ONE ISLAND HEALTH SYSTEM

ONE ISLAND FUTURE

Example: Normal GI Exam Macro



Health PEI macros:

Within a paragraph ("Review of Systems"), the user can have "layered" macros that indicate degrees of completion. For example, a "simple negative ROS" might show that the user has superficially asked about any "constitutional, skin, eye, and ENMT" complaints (and gotten negative answers, but hasn't gone into detail:

- Review of Systems M	
Constitutional >>	Negexcept HPI) / Fever / Chills / Sweats / Weakness / Fatigue / Decreased activity / Other
Skin>>	(Negexcept HPI) / Jaundice / Rash / Pruritus / Abrasions / Breakdown / Burns / Dryness / Petechiae / Lesion / Other
Eye >>	(Negexcept HPI) / Recent vision problems / Pain / Discharge / Icterus / Diplopia / Blurred vision / Blindness / Other
ENMT >>	(Negexcept HPI) / Ear pain / Sore throat / Nasal congestion / Sinus pain / Other

Health PEI Layered" macros:

But the user might also have a <u>"Complete negative ROS"</u> macro that indicates that they have actually gone into considerable detail and gotten negative answers about "fever, chills, sweats, weakness, fatigue, decreased activity, jaundice, rash, pruritus, abrasions..."

- Review of Systems M	
Constitutional >>	Weakness ≯ Fatigue / Decreased activity /
Skin>>	Neg except NRI / Jaundice / Rash / Prinitus / Abrasions / Breakdown / Bixns / Dryness / Petechiae / Lesion / Other
Eye >>	Neg except HPI / Recent visitent problems / Pain / Discharge / Icterus / Diptopia / Blurred vision / Blindness / Other
ENMT >>	Neg except HPI / Eai pain / Sore throat / Nasal congestion / Sinus pain / Other

ΈM

Health PEI

How to Build a Macro



Macro's can be built at any "level": Paragraph

Paragraph

Physical Examination M	ride Structure>
Contoral appearance	WNL / No acute distress / Mild distress / Mod distress / Severe distress / Unresponsive / Other
Skin M >>	WNL / Warm / Dry / Nopallor / Norash / Good skin turgor / Other
Eye M >>	WNL / PERRL / EOMI / Normal conjuctiva / Icterus / Other
ENT M >>	WNL / TM's clear / Oral mucosa moist / No pharyngeal erythema or exudate / Other
Neck M >>	WNL / Supple / Trachea midline / Notenderness / Enlarged nodes / Other
CV-heart M >>	WNL / Regular rate and rhythm: / Normal S1 & S2 / Noextra heart sounds: / Nom urm urs: / Other
Respiratory M >>	WNL / Lungs CTA / Respirations nonlabored / Other
Chest wall >>	WNL / No tenderness / No deformity / Other
Drawing	Chest drawing
Abdominal M >>	WNL / Normal BS / Soft / Nontender / Non distended / No organomegaly / Other
Rectal M >>	WNL / Normal tone / Guaiac negative - QC OK / Other
Extremity M >>	WNL / Normal ROM / Normal tone / Noswelling / Notenderness / Other
Neurological M >>	WNL / A/O x 3 / Alert / No focal neuro deficits / Other
Psychiatric M	Appropriate / Flat / Depressed / Anxious / Agitated / Uncooperative / Combative / Other
CV-perfusion	(repeat): WNL / except / R / L / Bi / radial pulse / femoral pulse / popliteal pulse / posterior tibialis / dors (normal / delayed===secs / Other) / Other
Notes	Notes / Scribble notes

Macro's can be built at any "level": Sentence

Sentence

H SYSTEM

General appearance	WNL / Macute distress / Mild distress / Mod distress / Severe distress / Unresponsive / Other
Skin M >>	WWW / Warm / Dry / Nopallor / Norash / Good skin turgor / Other
Eye M >>	WNL / PERRL / EOMI / Normal conjuctiva / Icterus / Other
:NT M >>	WNL / TM's clear / Oral mucosa moist / No pharyngeal erythema or exudate / Other
Neck M >>	WNL / Supple / Trachea midline / Notenderness / Enlarged nodes / Other
CV-heart M >>	WNL / Regular rate and rhythm / Normal S1 & S2 / No extra heart sounds / No murmurs / Other
Respiratory M >>	WNL / Lungs CTA / Respirations nonlabored / Other
Chest wall >>	VVNL / No tenderness / No deformity / Other
Orawing	Chest drawing
Abdominal M >>	WNL / Normal BS / Soft / Nontender / Non distended / No organomegaly / Other
Rectal M >>	WNL / Normal tone / Guaiac negative - QC OK / Other
Extremity M >>	WNL / Normal ROM / Normal tone / Noswalling / Notenderness / Other
Neurological M >>	VVNL / A/O x 3 / Alert / No focal neuro deficits / Other
Psychiatric <mark>M</mark>	Appropriate / Flat / Depressed / Anxious / Agitated / Uncooperative / Combative / Other
CV-perfusion	(repeat): WNL / except / R / L / Bi / radial pulse / femoral pulse / popliteal pulse / posterior tibialis / do (normal / delayed===secs / Other) / Other
Notes	Notes / Scribble notes

Macro's can be built at any "level": Word

Word

Physical Examination N	A <hide structure=""></hide>	
General appearance	WNL / No acute distress / Mild distress / Mod distress / Seere distress / Unresponsive / Other	
Skin M >>	WNL / Warm / Dry / Nopallor / Norash / Good <mark>skin turgor</mark> / Other	
Eye M >>	WNL / PERRL / EOMI / Normal conjuctiva / Icter <mark>l</mark> s / Other	
ENT M >>	WNL / TM's clear / Oral mucosa moist / No pharyngeal erythema or exudate / Other	
Neck M >>	WNL / Supple / Trachea midline / Notenderness / Enlarged nodes / Other	
CV-heart M >>	WNL / Regular rate and rhythm: / Normal S1 & S2 / Noextra heart sounds: / Nom urm urs: / Other	
Respiratory M >>	WNL / Lungs CTA / Respirations nonlabored / Other	
Chest wall >>	WNL / No tenderness / No deformity / Other	
Drawing	Chest drawing	
Abdominal M >>	WNL / Normal BS / Soft / Nontender / Non distended / No organomegaly / Other	
Rectal M >>	WNL / Normal tone / Guaiac negative - QC OK / Other	
Extremity M >>	WNL / Normal ROM / Normal tone / Noswelling / Notenderness / Other	
Neurological M >>	WNL / A/O x 3 / Alert / No focal neuro deficits / Other	
Psychiatric M	Appropriate / Flat / Depressed / Anxious / Agitated / Uncooperative / Combative / Other	
CV-perfusion	(repeat): WNL / except / R / L / Bi / radial pulse / femoral pulse / popliteal pulse / posterior tibialis / dor (normal / delayed===secs / Other) / Other	H SYSTEM
Notes	Notes / Scribble notes	TOTOTEN

Paragraph level macro:

Paragraph

Physical Examination M	ande Structure>
осногагарроаганоо	WNL / No acute distress / Mild distress / Mod distress / Severe distress / Unresponsive / Other
Skin M >>	WNL / Warm / Dry / Nopallor / Norash / Good skin turgor / Other
Eye M >>	WNL / PERRL / EOMI / Normal conjuctiva / Icterus / Other
ENT M >>	WNL / TM's clear / Oral mucosa moist / No pharyngeal erythema or exudate / Other
Neck M >>	WNL / Supple / Trachea midline / Notenderness / Enlarged nodes / Other
CV-heart M >>	WNL / Regular rate and rhythm / Normal S1 & S2 / No extra heart sounds / No murmurs / Other
Respiratory M >>	WNL / Lungs CTA / Respirations nonlabored / Other
Chest wall >>	WNL / No tenderness / No deformity / Other
Drawing	Chest drawing
Abdominal M >>	WNL / Normal BS / Soft / Nontender / Non distended / No organomegaly / Other
Rectal M >>	WNL / Normal tone / Guaiac negative - QC OK / Other
Extremity M >>	WNL / Normal ROM / Normal tone / Noswelling / Notenderness / Other
Neurological M >>	WNL / A/O x 3 / Alert / No focal neuro deficits / Other
Psychiatric M	Appropriate / Flat / Depressed / Anxious / Agitated / Uncooperative / Combative / Other
CV-perfusion	(repeat): WNL / except / R / L / Bi / radial pulse / femoral pulse / popliteal pulse / posterior tibialis / dors (normal / delayed===secs / Other) / Other
Notes	Notes / Scribble notes

1) Check all the findings you want

Physical Examination M	<hi>description of the structure of the</hi>
General appearance	vVNL / (No acute / 1995) / Mild distress / Mod distress / Severe distress / Unresponsive / Other
Skin M «	(Warm) ((Dry) (No pallor) / No rash / Good skin turgor / Pale / Ashen / Cyanotic / Cool / Diaphoretic / Jaundice / Mottled / Other (Rashlesions (repeat) (Neg) / R / L / Bi / generalized / scalp / face / trunk / arm / hand / thigh / genitalia / lower leg / foot / confluent / crusting / discrete / ecchymosis / erythema / macules / papules / petechiae / pustules / track marks / vesicles / laceration / ulcers / weeping / ===mm / ===cm / drainage (serous / bloody / serosanguineous / purulent) / abrasion (length===cm / width===cm) / Other
Eye M	WNL / PERRE) / (EOMI) / (Normal conjuctiva) / Icterus / Other ((repeat)) WNL / R / L / Bi / lid / conjunctiva / cornea / pupil / ===mm / fundoscopic exam / normal / erythema / inflahmation / discharge / dysconjogate gaze / abrasion / TB / bleading / phasis / proptosis / papilledema / vertical hystagmus / horizonal hystagmus / Other Visual acuity test: right eye: 20/=== / left eye: 20/=== / both eyes: 20/=== / w/ correction / w/o correction / able to count fingers / light only / Other
ENT M >>	vVNL / TM's clear / Oral m ucosa moist / No pharyngeal erythema or exudate / Other
Neck M >>	WNL / Supple / Trachea midline / Notenderness / Enlarged nodes / Other
CV-heart M >>	WNL sular rate and rhythm / Normal S1 & S2 / No extra heart sounds / No murmurs / Other
Respiratory M >>	WNL / Lungs CTA / Nev, poplabored / Other
Chest wall >>	WNL / No tenderness / No deformity / Other
Drawing	Chest drawing
Abdominal M >>	WNL / Normal BS / Soft / Nontender / Non distended / No organomegaly / Other
Rectal M >>	WNL / Normal tone / Guaiac negative - QC OK / Other
Extremity M >>	vVNL / Normal ROM / Normal tone / Noswelling / Notenderness / Other
Neurological M >>	vVNL / A/O x 3 / Alert / No focal neuro deficits / Other
Psychiatric M	Appropriate / Flat / Depressed / Anxious / Agitated / Uncooperative / Combative / Other
CV-perfusion	(repeat): WNL / except / R / L / Bi / radial pulse / femoral pulse / popliteal pulse / posterior tibialis / dorsalis pedis / diminished / absent / ===bpm / capillary refill (normal / delayed===secs / Other) / Other
Notes	Notes / Scribble notes

2) Hover over "Physical Examination" and Right Click

hysical Examination M Hide Structure>		
Go. Mannearans	VVNL / No acute distress) / Mild distr	
Skin M «	WNL / (Warm) / (Dry) / (No pallor) / No pallor) / No pallor) / No pallor / No pallor) / No pallor / ten (Rash/lesions (repeat) (Neg) / R / Lechymosis / erythema / macules / bloody / serosanguineous / puruler	
Eye M <<	WNL / (PERRE) / (EOMI) / (Normal co ((repeat)) WNL / R / L / Bi / lid / abrasion / TR / bleeding / presis / Visual acuity test: right eye: 20/=== /	
ENT M >>	WNL / TM's clear / Oral mucosa moi	
Neck M >>	WNL / Supple / Trachea midline / N	
CV-heart M >>	WNL / Regular rate and rhythm / Noi	
Respiratory M >>	WNL / Lungs CTA / Respirations nor	
Chart well **	iff/hil / his tandarnass / his dafamitu	

appears nation M <Hide Physical Exa tructure> General a lo acute distres / Mild distre Copy Skin M (arm) / (Dry) No pallor) / No Paste Clear Negate nguineous / purulent Normal L) / (EOMI) / (Normal cor Eye Comment... / bleeding / presis / st right eye: 20/=== / le Repeat Reference lear / Oral mucosa mois Open e / Trachea midline / No Insert Macro far rate and rhythm / Norm Save Macro As.. as CTA / Respirations nonl Respir Move up Chest v tenderness / No deformity Move down Drawing Don't Document Normal BS / Soft / Nontender Abdominal 1 Rectal M >> VVNL / Normal tone / Guaiac negative


A dropdown

menu


3) Left click on "Save Macro as"

General a _l	Сору	To acute distress / Mild distress / Mod distress / Severe distress / Unresponsive / Other
Skin M <<	Paste	Varm / (Dry / (No pallor) / V rash / Good skin turgor / Pale / Ashen / Cyanotic / Cool / Diaphoretic / Jaundice / Mottled /
	Clear	ions (repeat); (Neg) / R L / Bi / generalized / scalp / face / trunk / arm / hand / thigh / genitalia / lower leg / foot / con
	Negate	sis / erythema / macy s / papules / petechiae / pustules / track marks / vesicles / laceration / ulcers / weeping / ===mm
	Normal	serosanguineous / purulent) / abrasion (length===cm / width===cm) / Other
Eye M <<		ERRE) / (EOMI) / (Tormal conjuctiva) / Icterus / Other
	Comment	WNL / R / I Bi / lid / conjunctiva / cornea / pupil / ===mm / fundoscopic exam / normal / erythema / inflammation /
	Repeat	/FB / bleeding / presis / proptosis / papilledema / vertical hystagmus / horizonal systagmus / Other uity test: right eye: 20/=== / left eye: 20/=== / both eyes: 20/=== / w/ correction / w/o correction / able to count fingers / light on
	Reference	
ENT M >>	Open	M's clear / Oral mucosa moist / No pharyngeal erythema or exudate / Other
Neck M >>	la contraction of the contractio	up e / Trachea midline / Notenderness / Enlarged nodes / Other
CV-heart	Save Macro As	gular rate and rhythm: / Normal S1 & S2 / Noextra heart sounds: / Nom urm urs: / Other
Respirator	Maurann	ungs CTA / Respirations nonlabored / Other
Chest wall	Move up Move down	lo tenderness / No deformity / Other
Drawing	Don't Document	wing
Abdominal M	I >> WNL /	Normal BS / Soft / Nontender / Non distended / No organomegaly / Other
Rectal M >>	WNL /	Normal tone / Guaiac negative - QC OK / Other
Extremity M	>> 1A/NI /	Normal ROM / Normal tone / Noswelling / Notenderness / Other

4) Put your cursor in the Title line




To pull up your macro:



Sentence and Word macros


 To make a sentence macro, use the same steps, but save your macro at the <u>sentence</u>

level.



 To make a word macro, use the same steps, but save your macro at the word

level.




Word macros

- Left click on "other"
- -Type your macro text.
- Hit "OK" (or return)



- To save your macro
 - Right click over your tex derness / Enlarged
 - Use "Save Macro As"



ONE ISLAND FUTURE

Health PEI

How to
Delete a Macro







 Click SOME part of the template and "pretend" that you are about to make a new macro (!).

> (Soft) / Nontender / Non distended / Normal BS Gastrointestinal M >> No organomegaly / Guaiac negative - QC OK


 Then right click over the heading (here, "Gastrointestinal") and choose the "Save a

Macro" option.



SYSTEM

- 1. Highlight the macro that you want to delete, ie "Normal GI Exam WW".
- 2. Then click delete.
- 3. Then hit cancel and you will be back in the PNED



If you find you are repeatedly clicking the same information in the PNED for similar assessments this\ is an indication that a Macros would be beneficial.