

Using the Enhanced Diagnosis Profile and Problem List

- To change the Diagnosis Window in PNED from this:


Classification	Dx Type	Confirmation	Clinical Dx	Ranking	Clini...	Date
Medical	Reason F...	Confirmed	Abdominal pain		Emer...	2016-Dec-20
Medical	Discharge	Confirmed	Nausea 787.02		Emer...	2017-Feb-06
Medical	Reason F...	Confirmed	Nausea		Emer...	2017-Feb-06
Medical	Discharge	Confirmed	Acute vomiting		Emer...	2017-Feb-06

To this:


Clinical Dx	Date	Dx Type	Code
Abdominal pain	2016-Dec-20	Reason For Visit	4858AFEB-7C01-4A67-B4...
Acute appendicitis 540.9	2016-Dec-20	Discharge	540.9
Nausea	2017-Feb-06	Reason For Visit	AH9DQD9cNvfGolOn4w...
Nausea 787.02	2017-Feb-06	Discharge	787.02
Nausea	2017-Feb-06	Reason For Visit	AH9DQD9cNvfGolOn4w...
Acute vomiting	2017-Feb-06	Discharge	40246014

Follow these steps:

- From PNED, click View from the toolbar
- Click Customize



3. Select the 'More' tab
4. Check the box in front of 'Use Enhanced Diagnosis Profile and Problem List'
5. Click Apply
6. Click OK



Most Appropriate Diagnosis is Not Listed

1. Select 'Diagnosis Code Search' (located below the Diagnosis section)

*** Abdominal Pain Impression**

Diagnosis >> Nausea 787.02 / Cholelithiasis 574.20 / Cholecystitis 575.10 / GERD 530.81 / Diverticulitis 562.11 / Calculus, renal 592.0 / Ureterolithiasis 592.1 / Hydroureter 593.5 / Ischemic bowel 557.9 / Pyelonephritis 590.80 / Urinary tract infection 599.0 / Cyst, ovarian 620.2 / Diarrhea 787.91
 Abdominal pain 789.00: Epigastric 789.06 / Generalized 789.07 / Left lower quadrant 789.04 / Left upper quadrant 789.02 / Periumbilical 789.05 / Right lower quadrant 789.03 / Right upper quadrant 789.01
 Appendicitis 541: Acute 540.9 ... / Chronic 542 / Ruptured 540.0
 Aneurysm, aortic 441.9: Abdominal 441.4 / Dissecting 441.00 / Ruptured 441.5
 Gastritis 535.50: Acute 535.00 ... / Chronic 535.10 ...
 Obstruction, intestinal 560.9: Postoperative 560.81 / Paralytic ileus 560.1 / Sigmoidal 560.9 / Volvulus 560.2 / Due to fecal impaction 560.39
 Pancreatitis 577.0: Acute 577.0 / Chronic 577.1 / Recurrent 577.1
 Hepatitis 573.3: Hepatitis, acute 570 ... / Hepatitis, chronic 571.40 ... / Alcohol induced 571.1 / Viral 070.9 ...
 Gastroenteritis 558.9: Bacterial 008.5 ... / food poisoning 005.9 / Infectious 009.0 / Viral 008.8 ...
 Constipation 564.00: Psychogenic 306.4
 Pneumonia 486: Bacterial 482.9 ... / Community acquired 486 / Viral 480.9

Diagnosis code search [Acute vomiting : SNMCT 40246014, Discharge, Emergency medicine, Medical](#) Diagnosis code search

2. Add diagnosis as per usual process

*Diagnosis
 Acute vomiting Free Text Responsible Provider Comments

Display As
 Acute vomiting

*Clinical Service
 Emergency medicine

*Date
 2017-Feb-06

*Type
 Discharge

*Confirmation
 Confirmed

*Classification
 Medical

Ranking

Show Additional Details

OK OK & Add New Add Problem & Diagnosis Cancel

Using 'Rule Out'

- 'Rule Out' can be found within the Diagnosis window
- When using a diagnosis offered in that particular PNED; right click the chosen diagnosis & select 'Open'


[/ Cholecystitis 575.10 : ICD9 575.10 Discharge Emergency medicine](#)

s 562.11 / Calculus, renal 592.0
 is 590.80 / Urinary tract infection
 .06 / Generalized 789.07 / Left
 06 / Right lower quadrant 789.03 / Right up
 ronic 542 / Ruptured 540.0
 1.4 / Dissecting 441.00 / Ruptur
 ronic 535.10 ...
 itive 560.81 / Paralytic ileus 560.

onic 577.1 / Recurrent 577.1
 / Hepatitis, chronic 571.40 ... /
 .. / food poisoning 005.9 / Infect
 .4
 Community acquired 486 / Viral 4

Add to Problem List...
 Medline Search...
 Copy
 Paste
 Clear
 Negate
 Normal
 Comment...
 Repeat
 Reference
Open

Right click on the diagnosis and select Open




- When using the 'Diagnosis Code Search' to enter a new diagnosis, select 'Rule Out' from the 'Confirmation' list:

Reason for Visit and Mandatory Diagnosis in PNED


- Recently, the Diagnosis field within PNED has been made a required field that must be completed prior to signing the document.
- If more than one Reason for Visit (RFV) is entered, more than one Diagnosis will also be required (example below).

In this example, both Abdominal Pain and Nausea were listed as the RFV's and both were included in the PNED. As a result, both will need a diagnosis entered in order to sign the PNED.



To manage this, there are a couple of options:

1. Have nursing enter only **one** Reason for Visit OR
2. When opening the PNED, only select the most appropriate Reason for Visit to populate the document



In this example, there are 2 RFV's listed but only one RFV is highlighted blue (nausea). When PNED opens, it will populate based on Nausea instead of Abdominal Pain and therefore only one diagnosis field will require completion before