

**One Island Health System** 

PEI Pharmacare P.O. Box 2000 Charlottetown, PE C1A 7N8 www.healthpei.ca

Santé Î.-P.-É.

Un système de santé unique

PEI Pharmacare C.P. 2000 Charlottetown, PE C1A 7N8 www.healthpei.ca

# **PEI Pharmacare Bulletin**

# Issue (2019 - 10)

## November 12, 2019

#### <u>NEW PRODUCT(S) ADDED TO THE PEI PHARMACARE FORMULARY</u> (EFFECTIVE DATE: November 25, 2019)

Product (Generic name)	Product (Brand name)	Strength	Dosage Form	DIN	MFR
Emtricitabine/rilpivirine/ tenofovir alafenamide	<u>Odefsey</u>	200 mg/25 mg/25 mg	Tablet	02461463	GIL
Criteria	Open benefit				
Program Eligibility	AIDS/HIV Program				

Fluticasone/umeclidinium/ vilanterol	Trelegy Ellipta	100 mcg/62.5 mcg/25 mcg	Dry powder for inhalation	02474522	GSK	
Criteria	Combination therapy with LABA/LAAC/ICS will be considered for patients with Chronic Obstructive Pulmonary Disease (COPD) who experience inadequate control (persistent symptoms or experiencing 2 or more exacerbations of COPD in the previous year requiring treatment with antibiotics and/or systemic corticosteroids or at least 1 exacerbation requiring hospitalization) while being treated with a LABA/LAAC combination for at least two months.					
Program Eligibility	Family Health Benefit Drug Program, Financial Assistance Program, Seniors Drug Program, Nursing Home Program, Catastrophic Drug Program					

### CRITERIA CHANGE (EFFECTIVE DATE: November 25, 2019)

Denosumab	<u>Prolia</u>	60 mg/ml	Prefilled Syringe	02343541	AMG	
	The Special Authorization Criteria for Prolia has been updated to the following:					
Criteria	For the treatment of osteoporosis in postmenopausal women and in men who meet the following					
	criteria:					
	o Have a contraindication to oral bisphosphonates; and					
	o High risk for fracture, or refractory or intolerant to other available osteoporosis therapies.					
	Clinical Notes:					
	• Refractory is defined as a fragility fracture or evidence of a decline in bone mineral density below					
	pre-treatment baseline levels, despite adherence for one year to other available osteoporosis					
	therapies.					
	• High fracture risk is defined as:					
	o Moderate 10-year fracture risk (10% to 20%) as defined by the Canadian Association of					
	Radiologists and Osteoporosis Canada (CAROC) tool or the World Health Organization's Fracture					
	Risk Assessment (FRAX) tool with a prior fragility fracture; or					
	o High 10-year fracture risk (≥ 20%) as defined by the CAROC or FRAX tool.					
Program Eligibility	Family Health Benefit Drug Program, Financial Assistance Program, Seniors Drug Program, Nursing					
	Home Program, Catastrophic Drug Program					

## **NOTICES**

The following products have been removed from PEI Pharmacare Drug Programs, and will no longer be eligible for reimbursement 30 days from this notice (effective December 12, 2019):

Adefovir 10 mg tablets Levofloxacin 750 mg tablets Vitamin C 500mg tablets Acyclovir (Zovirax) Cream & Ointment