

**Organized Stroke Care Program Assessment Tools** (by primary administrating profession) Dec2018

**Team**

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>Alpha Functional Independence Measure (Alpha FIM)</b>	Measure of disability	Acute care phase	Team	Y
<b>Functional Independence Measure (FIM)</b>	Measure of disability	Inpatient rehabilitation phase	Team	Y
<b>Reintegration to Normal Living Index (RNLI)</b>	Measurement of reintegration into normal social activities	<i>For consideration</i>	Team	N

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>Modified Rankin Scale (MRS)</b>	Global disability	<i>Discharge from acute care and (1 year post stroke)</i>	PSAC Clinical lead acute care/ RN/Coordinator	Y

**Dietician**

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>Mini-Nutritional Assessment (MNA)</b>	Nutrition Assessment	-	Dietitian	-

**Nursing**

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>Canadian Neurological Scale (CNS)</b>	Stroke severity	Acute phase	Nurses	Y
<b>Glasgow Coma Scale</b>	Level of consciousness	Emergency and Critical Phase	Nurses/Physician	Y
<b>Hospital Anxiety Depression Scale (HADS)</b>	Screening for depression/anxiety	Across continuum	Nurses/Social Work	
<b>Stroke Aphasic Depression Questionnaire (SADQ-10)</b>	Screening for depression in aphasic patients	Across continuum	Nursing/SW/SLP	N
<b>Toronto Bedside Swallowing Screening Test (Tor-BSST)</b>	Screening for dysphasia	Emergency; critical and acute phase	Nursing/ RT	Y

**Organized Stroke Care Program Assessment Tools** (by primary administrating profession) Dec2018

**Occupational Therapy**

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>Action Research Arm Test</b>	Asses limb function	Rehab	OT	N
<b>Activities of Daily Living (ADL) Profile</b>	Independence in everyday activities	Across continuum	OT	N
<b>Albert's Test</b>	Screening for unilateral space neglect	Across continuum	OT	IP
<b>Assessment of Motor and Process Skills (AMPS)</b>	Motor and processed skills	Need special tray	OT	N
<b>Behavioral Assessment of the Dysexecutive Syndrome (BADS)</b>	Executive function assessment	Across continuum	OT	IP
<b>Behavioral Inattention Test (BIT)</b>	Visual neglect/inattention	Across continuum (used infrequently)	OT	N
<b>Bells Test</b>	Visual neglect (for driving?)	Across continuum	OT	IP
<b>Box and Block Test (BBT)</b>	Assesses unilateral gross manual dexterity	Across continuum	OT	Y
<b>Canadian Occupational Performance Measure</b>	Occupational performance	Functional output goals (used infrequently)	OT/PT	N
<b>Catherine Bergego Scale (CBS)</b>	Detect presence and degree of unilateral spatial neglect	Across continuum	OT	IP
<b>Chedoke Arm and Hand Activity Inventory (CAHAI)</b>	Functional assessment of arm and hand	Across continuum	OT	Y
<b>Chedoke-McMaster Stroke Assessment (CMSA)</b>	Designed for use with FIM, classify patients according to stage of motor recovery (1)Physical Impairment (2)Disability Inventory	Across continuum	OT/PT	Y
<b>Clock Drawing Test (CDT)</b>	Visuospatial and praxis ability	Across continuum	OT	N
<b>Color Trails Test (CTT)</b>	Sustained and divided attention assessment	Across continuum	OT	N
<b>Comb and Razor Test</b>	Assessment for personal unilateral spatial neglect	Across continuum	OT	IP
<b>Community Balance and Mobility Scale (CB&amp;M)</b>	Balance/Postural Control	Across continuum	PT/OT	Y
<b>Executive Function Performance Test (EFPT)</b>	Executive function evaluation	Across continuum (used infrequently)	OT	N

**Organized Stroke Care Program Assessment Tools** (by primary administrating profession) Dec2018

<b>Function in Sitting Test</b>		Across continuum	OT/PT	IP
<b>Hand Dynamometer/Jamar</b>	Grip Strength	Across continuum	PT/OT	Y
<b>Line Bisection Test</b>	Visual Neglect/inattention	Across continuum	OT	IP
<b>Mini-Balance Evaluations Systems Test (Mini-BESTest)</b>	Balance assessment	Across continuum	OT	Y
<b>Mini-Mental State Examination (MMSE-2)</b>	Cognitive Impairment	Across continuum	OT	Y
<b>Montreal Cognitive Assessment (MoCA)</b>	Cognitive screening	Across continuum	OT	Y
<b>Motor Activity Log (MAL)</b>	Functional use of upper extremity	Outpatients	OT	Y
<b>Motor-Free Visual Perception Test (MVPT)</b>	Visual perception	Across continuum	OT	IP
<b>Multiple Errands Test (MET)</b>	Executive function deficit assessment	Across continuum	OT	N
<b>National Institutes of Health Stroke Scale (NIHSS)</b>	Stroke severity – tPA requirement	Site Specific	OT	N
<b>Nine-Hold Peg Test (NHPT)</b>	Dexterity	Across continuum	OT	Y
<b>Occupational Therapists Adult Perceptual Screening Test (OT-APST)</b>	Perceptual screening	Across continuum (rehab)	OT	N
<b>Pinch Meter</b>	Pinch strength	Across continuum	PT/OT	N
<b>Semmes Weinstein Modified Monofilaments</b>	Sensory assessment	Across continuum	OT/PT	Y
<b>Single Letter Cancellation Test (SLCT)</b>	Unilateral neglect space	Across continuum	OT	N
<b>Star Cancellation Test</b>	Unilateral space neglect	Across continuum	OT	N
<b>Trail Making Test (TMT)</b>	Executive function assessment	Across continuum	OT	IP
<b>Useful Field of View Test (UFOV)</b>	Visual processing	Rehab/out PT	OT	IP

**Physiotherapy**

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>10 m Timed Gait Speed</b>	Walking/mobility assessment	Across Continuum	PT	Y
<b>2 Min Walk Test</b>	Measures mobility and cardio respiratory function	Across continuum	PT	N
<b>6 Min Walk Test</b>	Measures mobility and cardio respiratory function	Across continuum	PT	Y
<b>Berg Balance Scale (BBS)</b>	Balance/Postural Control	Across continuum	PT	Y
<b>Canadian Occupational Performance Measure</b>	Occupational performance	Functional output goals (used infrequently)	OT/PT	N
<b>Chedoke-McMaster Stroke Assessment (CMSA)</b>	Designed for use with FIM, classify patients according to stage of motor recovery (1)Physical Impairment (2)Disability Inventory	Across continuum	OT/PT	Y
<b>Community Balance and Mobility Scale (CB&amp;M)</b>	Balance/Postural Control	Across continuum	PT/OT	Y
<b>Dynamic Gait Index</b>		Across continuum	PT	IP
<b>Function in Sitting Test</b>		Across continuum	OT/PT	IP
<b>Gait Lab Analysis Summary</b>		Across continuum	PT	IP
<b>Hand Dynamometer/Jamar</b>	Grip Strength	Across continuum	PT/OT	Y
<b>Pinch Meter</b>	Pinch strength	Across continuum	PT/OT	N
<b>Semmes Weinstein Modified Monofilaments</b>	Sensory assessment	Across continuum	OT/PT	Y
<b>Timed Up and Go (TUG)</b>	Measures basic ability and balance maneuvers, assess ability to perform sequential motor task relative to walking and turning	Across continuum	PT	Y

**Speech Language Pathology**

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>American Speech-Language-Hearing Assessment of Communication Skills for Adults (ASHA-FACS)</b>	Functional communication assessment	Only output	SLP	N
<b>Boston Diagnostic Aphasia Exam-3<sup>rd</sup> Edition</b>	Aphasia Diagnostic	Across continuum	SLP	IP
<b>ASHA Functional Communication Measure (FCM)</b>			SLP	N
<b>Ashworth/Modified Ashworth</b>	Measurement of Tone	Across Continuum	SLP	Y
<b>Assessment of Intelligibility of dysarthric Speech (revised)</b>	Dysarthria assessment	Across continuum	SLP	IP
<b>Boston Diagnostic Aphasia Examination (BDAE)</b>	Aphasia Diagnostic	Output	SLP	IP
<b>Cognitive Linguistic Quick Test</b>	Cognitive abilities	Across continuum	SLP	N
<b>Frenchay Dysarthria Assessment-2 (FDA-2)</b>	Screening for dysarthria	Across continuum	SLP	N
<b>Reading Comprehension Battery for Aphasia-2</b>	Reading Ax	Across continuum	SLP	IP
<b>Stroke Aphasic Depression Questionnaire (SADQ-10)</b>	Screening for depression in aphasic patients	Across continuum	Nursing/SW/SLP	N
<b>Toronto Bedside Swallowing Screening Test (Tor-BSST)</b>	Screening for dysphasia	Emergency; critical and acute phase	Nursing/SLP/RT	Y
<b>WAB Bedside Screen</b>	Aphasia screening	Acute	SLP	Y
<b>Western Aphasia Battery (WAB)</b>	Aphasia Screening (revised)	Across continuum	SLP	Y

**Organized Stroke Care Program Assessment Tools** (by primary administrating profession) Dec2018

**Social Work**

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>Patient Health Questionnaire (PHQ-9)</b>	Diagnose and measure severity of depression	Across continuum	SW	N
<b>Seniors Assessment Screening Tool (SAST)</b>	Assessment level of care needed by patient	Acute, rehab, and beyond	SW	N
<b>Stroke Aphasic Depression Questionnaire (SADQ-10)</b>	Screening for depression in aphasic patients	Across continuum	Nursing/SW/SLP	N

**District Social Work**

ASSESSMENT TOOL	PURPOSE	TIMING	ADMINISTERED BY	ON CIS Y/N/IP
<b>Stroke Impact Scale (SIS)</b>	Quality of life self-report measure multi-dimensional stroke outcomes including: strength, hand function, ADLS/IADLS, mobility, communication, memory, thinking emotion	Used very intermittently	District SW (Need to clarify who else and when across continuum)	N