

## MONTHLY BULLETIN

**ATTENTION: ALL FACILITIES**

**UPDATES OCCURRING WITHIN THE CIS THE**

**WEEK OF - JUNE 26TH, 2023**

**The following solution areas have updates:**

**PowerChart, FirstNet & SurgiNet - Pages 2 - 4**

### **Privacy Matters Corner...**

“**Need to Know** is in and **Circle of Care** is out!



The Health Information Act follows a **Need to Know** principle when it comes to collection, access, use, and disclosure of Personal Health Information (PHI). It is a common misconception among staff that being part of a patient/client/resident’s “circle of care” at some point in time means permitted access to that person’s information at any time for any reason. This is in fact **NOT** the case and

is **NOT PERMITTED** by legislation.

We always need to operate by considering the minimum amount of information that will serve the purpose. For instance:

- only **accessing** the information that is required to provide care in that moment
- only **disclosing** the information that is required or permitted to serve the purpose
- only **collecting** the information that is relevant to the purpose for which you are collecting it

Use your professional judgment and do a case-by-case assessment to determine what information is necessary in each scenario. Remember, if you are initiating the use or disclosure, you are accountable for ensuring the appropriate level of PHI is accessed or shared.

You may find the following considerations helpful when deciding if you **Need to Know**:

- Do I need to know this info for the purposes of my role on the client’s care team?
- What is the trigger or reason for my need to know?
- Will I be taking action or making a recommendation or decision as a result of accessing this information?

Questions? Reach out to your Access to Information and Privacy (ATIP) team at

[healthprivacy@ihis.org](mailto:healthprivacy@ihis.org) and we’d be happy to help!


## PowerChart, FirstNet & SurgiNet Updates:

### Reminder :

The Health PEI IV Manual is available on any Downtime computer. Click on the desktop link:



It will take you to the file location:



### Powerplan Update: Care of Jejunostomy Tube and Care of Gastrostomy Tube

To avoid staff having to update the frequency of container, line and tubing changes, the frequency has been revised from q24h timed to q24 h timed at 0600 hrs. This update will post the task at 0600hrs but staff are reminded to adhere to the patients enteral nutrition/care schedule and to not be concerned if the task goes overdue.

### iView Updates:




Updates to the Suction section- Suction Required YES opens the additional fields

RESPIRATORY		
◆ Suction Required		Yes
◆ Suction Method		
◆ Suction Catheter Size	Fr	
◆ Suction Passes		
◆ Suction Tolerance		


## PowerChart, FirstNet & SurgiNet Updates: (continued)

**New Workflow for Transitions in Care: Inpatient (non-Emergency Department to Mental Health Care:** New section on the Nursing Discharge Summary:

On the Discharge Checklist section there is a new data field that conditionally opens the Mental Health and Addictions Discharge Checklist



## New iView section for Constant Care Documentation



## PowerChart, FirstNet & SurgiNet Updates: (continued)

### Revised order for Levels of Observation (Constant Care)

Reason for Constant care field has been updated to provide more detailed rationale for increased level of care.

Reason for Constant care field has been updated to provide more detailed rationale for an increased level of care.

**Details for Levels of Observation**

Observation: [Dropdown]

**Reason for Constant Care:** [Dropdown]

- (None)
- Confused Patient
- Elopement Risk
- Fall risk: interventions ineffective
- History of Self Harm Behavior
- History of Violence
- Oral surgery post-operative care
- Risk for medical therapy interruption
- Risk of Self Harm
- Risk of Violence
- Severe agitation due to withdrawal
- Suicide Risk

0 Missing Required Details

### New Order for Subcutaneous Glucose Monitoring

Subcutaneous Glucose Order 2023-Jun-05 11:22 Start: 2023-Jun-05 11:22 ADT

**Details for Subcutaneous Glucose Monitoring**

Frequency: [Dropdown] Duration: [Text]

Duration Unit: [Dropdown] PRN:  Yes  No

Start Date/Time: 2023-Jun-05 11:22 ADT May self-adjust insulin dose:  Yes  No

May use own device:  Yes  No Instructions: [Text]

### Updates to the Preprocedure Checklist

The existing Pregnancy Screening field will now be required. A level of consciousness assessment field based on the AVPU (Alert, Verbal, Painful, Unresponsive) scale is being added.

**Required field**

**Pregnancy Screening**

- N/A
- Refused
- Serum pregnancy test
- Urine pregnancy test

**Date of Test**

xxxx-xxxx-xx [Dropdown]

**New field**

**Level of Consciousness (AVPU Scale)**

- Alert and responsive
- Responds to verbal stimuli
- Responds to painful stimuli
- Unresponsive

Has Patient Positioning Needs Been Identified? Description Of Positioning Need(s)