How do levels of Palliative Performance Scale (PPSv2) version 2 (developed by Victoria Hospice Society)/ Patient Reported Functional Status (PRFS) or Patient ECOG/ECOG compare?

	ECOG Level	Patient Reported Functional Status (PRFS) or Patient ECOG Level	PPS Level	Ambulation	Activity & Evidence of Disease	Self-Care	Intake	Conscious Level
Stable Stage	0	0	100%	Full	Normal activity & work No evidence of disease	Full	Normal	Full
	1	1	90%	Full	Normal activity & work Some evidence of disease	Full	Normal	Full
	_		80%	Full	Normal activity <i>with</i> Effort Some evidence of disease	Full	Normal or reduced	Full
Transitional Stage	2	2	70%	Reduced	Unable Normal Job/Work Significant disease	Full	Normal or reduced	Full
			60%	Reduced	Unable hobby/house work Significant disease	Occasional assistance necessary	Normal or reduced	Full or Confusion
	3	3	50%	Mainly Sit/Lie	Unable to do any work Extensive disease	Considerable assistance required	Normal or reduced	Full or Confusion
			40%	Mainly in Bed	Unable to do most activity Extensive disease	Mainly assistance	Normal or reduced	Full or Drowsy +/- Confusion
End of Life Stage	4	4	30%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Normal or reduced	Full or Drowsy +/- Confusion
			20%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Minimal to sips	Full or Drowsy +/- Confusion
	5		10%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Mouth care only	Drowsy or Coma +/- Confusion
			0%	Death	•	-	-	-

^{*}Home is defined as the person's usual residence (may include long term care facility) Used with permission Victoria Hospice, 2006