

In Hospital Transfer Medication Reconciliation

In Hospital Transfer Medication Reconciliation

In Hospital Transfer Medication Reconciliation is used when a patient transfers internally within an Acute Care Health PEI facility, e.g. change in service environment, level of care or transfer of care between two physicians.


In Hospital Transfer Medication Reconciliation may be performed by:

1. the sending physician,
2. the receiving physician, or
3. both, and

In Hospital Transfer Medication Reconciliation may be done:

1. Any time a physician wishes to review a patient’s documented home medication and inpatient medication orders.

Note: Each facility will determine when, and by whom, In Hospital Transfer Medication Reconciliation must be performed.




How to complete “In Hospital Transfer Medication Reconciliation”:

The Best Possible Medication History and Admission Medication Reconciliation should have already been completed:



1. Go to the Orders Page,
2. Click on Reconciliation and
3. Choose In Hospital Transfer:



All inpatient medication orders and documented home medication orders are displayed. Orders are sorted alphabetically

Orders for the same medication are grouped together and shaded either blue or white to differentiate them from the others.

If an inpatient order was generated from a documented home medication or prescription, the two orders will be linked with one radio button.

Orders Prior to Reconciliation				Orders After Reconciliation			
Order Name/Details	Status			Order Name/Details	Status		
acetaminophen (Tylenol Regular Strength) 325 - 975 mg, Oral, q4h timed, PRN: Fever or Pain	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	acetaminophen (Tylenol Regular Strength) 325 - 975 mg, Oral, q4h timed, PRN: Fever or Pain	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
acetylsalicylic acid (ECASA) 81 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	acetylsalicylic acid (ECASA) 81 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
acetylsalicylic acid (ECASA) 81 mg, Oral, Daily	Documented	<input type="radio"/>	<input checked="" type="radio"/>				
atorvastatin 20 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	atorvastatin 20 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
atorvastatin 20 mg, Oral, Daily	Documented	<input type="radio"/>	<input checked="" type="radio"/>				
bisacodyl (Dulcolax) 10 mg, Rectal, Daily, PRN: Constipation	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	bisacodyl (Dulcolax) 10 mg, Rectal, Daily, PRN: Constipation	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
carbidopa-levodopa (Sinemet 250/25 oral tablet) 1 tab(s), Oral, BID	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	carbidopa-levodopa (Sinemet 250/25 oral tablet) 1 tab(s), Oral, BID	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
carbidopa-levodopa (Sinemet 250/25 oral tablet) 1 tab(s), Oral, BID	Documented	<input type="radio"/>	<input checked="" type="radio"/>				
digoxin 0.125 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	digoxin 0.125 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
digoxin 0.125 mg, Oral, Daily, 30 tab(s)	Prescribed	<input type="radio"/>	<input checked="" type="radio"/>				

- Inpatient medications are indicated by a hospital icon and a status of Ordered or Suspended.
- Documented home medications are indicated by either a scroll icon and a status of Documented or a pill bottle icon and a status of Prescribed.

Radio buttons are pre-selected.

- Inpatient medication orders with a status of Ordered are linked with documented home medications and prescriptions and are defaulted to Continue
- Documented home medications and prescriptions that weren't continued on admission are defaulted to Do Not Continue
- Review each medication and determine if any changes should be made by de-selecting/selecting the appropriate radio button.

Note: If Admission Medication Reconciliation was based on a Hospital to Hospital Reconciliation





(e.g. Physician at PCH did Hospital to Hospital Medication Reconciliation, transferred patient to QEH where proposed orders were accepted in Admission Medication Reconciliation screen. Now patient is transferring from QEH ICU to QEH Unit 3.)

Inpatient and documented home medications or prescriptions won't be linked

Orders Prior to Reconciliation				Orders After Reconciliation			
Order Name/Details	Status			Order Name/Details	Status		
acetaminophen (acetaminophen regular strength) 650 mg, Oral, q4h timed, PRN: Fever or Pain	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	acetaminophen (acetaminophen regular strength) 650 mg, Oral, q4h timed, PRN: Fever or Pain	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
acetylsalicylic acid (ECASA) 81 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	acetylsalicylic acid (ECASA) 81 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
acetylsalicylic acid (ECASA) 81 mg, Oral, Daily	Documented	<input type="radio"/>	<input checked="" type="radio"/>				
atorvastatin 20 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	atorvastatin 20 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
atorvastatin 20 mg, Oral, Daily	Documented	<input type="radio"/>	<input checked="" type="radio"/>				
bisacodyl (Dulcolax) 10 mg, Rectal, Daily, PRN: Constipation	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	bisacodyl (Dulcolax) 10 mg, Rectal, Daily, PRN: Constipation	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
carbidopa-levodopa (Sinemet 250/25 oral tablet) 1 tab(s), Oral, BID	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	carbidopa-levodopa (Sinemet 250/25 oral tablet) 1 tab(s), Oral, BID	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
carbidopa-levodopa (Sinemet 250/25 oral tablet) 1 tab(s), Oral, BID	Documented	<input type="radio"/>	<input checked="" type="radio"/>				
digoxin 0.125 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>	digoxin 0.125 mg, Oral, Daily	Ordered	<input checked="" type="radio"/>	<input type="radio"/>
digoxin 0.125 mg, Oral, Daily, 30 tab(s)	Prescribed	<input type="radio"/>	<input checked="" type="radio"/>				

Suspended Medications:

Inpatient medication orders with a status of Suspended do not have a radio button pre-selected.

 digoxin 0.125 mg, Oral, Daily	Suspended	<input type="radio"/>	<input type="radio"/>
 digoxin 0.125 mg, Oral, Daily, 30 tab(s)	Prescribed	<input type="radio"/>	<input type="radio"/>
 digoxin 0.125 mg, Oral, Daily	Suspended	<input type="radio"/>	<input type="radio"/>
 digoxin 0.125 mg, Oral, Daily, 30 tab(s)	Prescribed	<input type="radio"/>	<input checked="" type="radio"/>

Choosing “Continue” will Resume the Suspended order:


 digoxin 0.125 mg, Oral, Daily	Resume	<input checked="" type="radio"/>	<input type="radio"/>	 digoxin 0.125 mg, Oral, Daily	Resume
 digoxin 0.125 mg, Oral, Daily, 30 tab(s)	Prescribed	<input type="radio"/>	<input checked="" type="radio"/>		
 digoxin 0.125 mg, Oral, Daily	Resume	<input checked="" type="radio"/>	<input type="radio"/>	 digoxin 0.125 mg, Oral, Daily	Resume
 digoxin 0.125 mg, Oral, Daily, 30 tab(s)	Prescribed	<input type="radio"/>	<input checked="" type="radio"/>		

Choosing “Do Not Continue” will leave the Suspended order in a Suspended status:

 digoxin 0.125 mg, Oral, Daily	Suspended	<input type="radio"/>	<input checked="" type="radio"/>		
 digoxin 0.125 mg, Oral, Daily, 30 tab(s)	Prescribed	<input type="radio"/>	<input checked="" type="radio"/>		
 digoxin 0.125 mg, Oral, Daily	Suspended	<input type="radio"/>	<input checked="" type="radio"/>		
 digoxin 0.125 mg, Oral, Daily, 30 tab(s)	Prescribed	<input type="radio"/>	<input checked="" type="radio"/>		

Adding Additional Orders:


Additional medication orders can also be added in the Transfer Reconciliation screen by:

- clicking the Add button  in the upper left corner of the screen.
- The counter in the lower left-hand corner of the screen will show if any orders are unreconciled.



Once all orders have been reconciled,

- Click Reconcile and
- Sign in the lower right-hand corner:



There is no status indicator for In Hospital Transfer Medication Reconciliation:



However, a record of In Hospital Transfer Medication Reconciliation can be seen in the Reconciliation History:

[-] Reconciliation History	
[-] Admission	[-] Laboratory
2016-Jan-26 14:42 (Test, CPOE	[-] Inpatient
2016-Jan-26 14:39 (Test, CPOE	
[-] In Hospital Transfer	
2016-Mar-16 17:57 (Test, CPOE Physician, MD)	